## Goat Leptin (LEP)ELISA Kit

Catalog No: #EK21642



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	Support: tech@signaiwayantibody.com
Product Name	Goat Leptin (LEP)ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Goat
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%
	within the expiration date under appropriate storage condition. The loss rate was determined by accelerated
	thermal degradation test. Keep the kit at 37C for 4 and 7 days, and compare O.D.values of the kit kept at 37C
	with that of at recommended temperature. (referring from China Biological Products Standard, which was
	calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at
	2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

## **Application Details**

Detect Range:0.31 ng/mL - 20 ng/mL

Sensitivity:0.1 ng/mL Sample Type:Serum, Plasma, Other biological fluids

Sample Volume: 1-200 µL

Assay Time:1-4.5h

Detection wavelength:450 nm

## **Product Description**

This assay employs a two-site sandwich ELISA to quantitate LEP in Goat serum, plasma. An antibody specific for LEP has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any LEP present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for LEP is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of LEP bound in the initial step. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.