# **ACTIN Antibody**

Catalog No: #35537

Package Size: #35537-1 50ul #35537-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


#### Description

| Product Name          | ACTIN Antibody  |
|-----------------------|---|
| Host Species          | Rabbit  |
| Clonality             | Polyclonal  |
| Purification          | Antigen affinity purification.  |
| Applications          | WB,ELISA  |
| Species Reactivity    | Plant   |
| Specificity           | The antibody detects endogenous levels of total ACTIN protein.                                |
| Immunogen Type        | Peptide   |
| Immunogen Description | Synthetic peptide corresponding to residues near the N terminal of Arabidopsis thaliana actin |
| Target Name           | ACTIN   |
| Other Names           | ACTB  |
| Accession No.         | Swiss-Prot#: P53497NCBI Gene ID: 823805Gene Accssion: NP_190236.1                             |
| SDS-PAGE MW           | 42kd  |
| Concentration         | 1mg/ml  |
| Formulation           | Rabbit IgG in pH7.3 PBS, 0.05% NaN3, 50% Glycerol.  |
| Storage               | Store at -20°C  |

## **Application Details**

Western blotting: 1:500-1:2000

#### **Images**



Gel: 10%SDS-PAGE

Lysates (from left to right): Cinnamomum camphora leaves, Nicotiana tabacum leaves, Triticum aestivuml leaves, Arabidopsis thaliana leaves, Brassica campestris flowers,

Brassica campestris leaves, Vicit Faba leaves

Amount of lysate: 50ug per lane Primary antibody: 1/500 dilution Secondary antibody dilution: 1/8000

Exposure time: 20 seconds

## Background

Member of actin subclass composed of ACT12 and ACT4. RNA is expressed at very low levels in vegetative organs, low levels in flowers and very high levels in pollen. Expression of an ACT12/GUS fusion was found in vascular tissues, tapetum, developing and mature pollen, the root cap and in a ring of pericycle tissues during lateral root initiation and early development.

| Note: This product is for in vitro research use only and is not intended for use in humans or animals. |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |