

STAT3(Phospho-Ser727) Antibody

Catalog No: #11046



Package Size: #11046-1 50ul #11046-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	STAT3(Phospho-Ser727) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.
Applications	WB IHC IF
Species Reactivity	Human;Mouse;Rat
Specificity	The antibody detects endogenous level of STAT3 only when phosphorylated at serine 727.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around phosphorylation site of serine 727 (P-M-S(p)-P-R) derived from Human STAT3.
Conjugates	Unconjugated
Target Name	STAT3
Modification	Phospho
Other Names	APRF, HIES
Accession No.	Swiss-Prot: P40763NCBI Protein: NP_003141.2
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

Application Details


Predicted MW: 88kd

Western blotting: 1:500~1:1000


Immunohistochemistry: 1:50~1:100

Immunofluorescence: 1:100~1:200


Images




Western blot analysis of extracts from HeLa and HepG2 cells untreated or treated with PMA using STAT3(Phospho-Ser727) Antibody #11046.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using STAT3(Phospho-Ser727) Antibody #11046(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed HeLa cells using STAT3(Phospho-Ser727) Antibody #11046.



Western blot analysis of extracts from HeLa cells, treated with IFNα or calf intestinal phosphatase (CIP), using STAT3 (Phospho-Ser727) Antibody #11046.

Background

Transcription factor that binds to the interleukin-6 (IL-6)-responsive elements identified in the promoters of various acute-phase protein genes. Activated by IL31 through IL31RA.

Heim M H, (1999) J Recept Signal Transduct Res. 19: 75-120.

Takeda K, et al. (1997) Proc Natl Acad Sci USA. 94: 3801-3804.

Catlett-Falcone R, et al. (1999) Immunity. 10: 105-115.

Garcia R, et al. (1998) J Biomed Sci. 5: 79-85.

Bromberg J F, et al. (1999) Cell. 98: 295-303.

ANIRBAN MAJUMDER, SASWATI BANERJEE, JOSHUA A. HARRILL et al., Neurotrophic Effects of Leukemia Inhibitory Factor on Neural Cells Derived from Human Embryonic Stem Cells., STEM CELLS, 30:2387-2399 (2012)

[PMID:22899336](#)

Heng-Chao Yu, Hong-Yan Qin, Fei He et al., Canonical Notch Pathway Protects Hepatocytes from Ischemia/Reperfusion Injury in Mice by Repressing Reactive Oxygen Species Production Through JAK2/STAT3 Signaling., HEPATOLOGY, 54(3):979-988(2011)

[PMID:21633967](#)

et al., A thiazole-derived oridonin analogue exhibits antitumor activity by directly and allosterically inhibiting STAT3. In J Biol Chem on 2019 Nov 15; by Shen X, Zhao L, et al..PMID:31594861, , (2019)

[PMID:31594861](#)

et al., Anti inflammatory and metabolic reprogramming effects of MENK produce antitumor response in CT26 tumor bearing mice. In J Leukoc Biol on 2020 Jan 29. by Tuo Y, Zhang Z, et al..PMID:31994797, , (2020)

[PMID:31994797](#)

et al., Resistance to bleomycin-induced lung fibrosis in MMP-8 deficient mice is mediated by interleukin-10. In PLoS One on 2010 Oct 7 by Emilio Garca-Prieto, Adrian Gonzalez-Lopez, et al..PMID: 20949050, , (2010)

[PMID:20949050](#)

et al., Significance and relationship between Cripto-1 and p-STAT3 expression in gastric cancer and precancerous lesions. In World J Gastroenterol on 2010 Feb 7 by Jian-Guo Zhang, Jing Zhao, et al..PMID: 20128024, , (2010)

[PMID:20128024](#)

et al., Neurotrophic effects of leukemia inhibitory factor on neural cells derived from human embryonic stem cells. In Stem Cells on 2012 Nov by Anirban Majumder, Saswati Banerjee, et al..PMID: 22899336, , (2012)

[PMID:22899336](#)

et al., Induction of interleukin-10 is dependent on p38 mitogen-activated protein kinase pathway in macrophages infected with porcine reproductive and respiratory syndrome virus. In Virol J on 2012 Aug 21 by Jun Hou, Lianghai Wang, et al..PMID: 22909062, , (2012)

[PMID:22909062](#)

et al., Protein Kinase CK2 Inhibition Down Modulates the NF- κ B and STAT3 Survival Pathways, Enhances the Cellular Proteotoxic Stress and Synergistically Boosts the Cytotoxic Effect of Bortezomib on Multiple Myeloma and Mantle Cell Lymphoma Cells. In PLoS One on 2013 Sep 27 by Sabrina Manni, Alessandra Brancalion, et al..PMID:24086494, , (2013)

[PMID:24086494](#)

et al., Prognostic significance of serine-phosphorylated STAT3 expression in pT1-T2 oral tongue carcinoma. In Clin Exp Otorhinolaryngol on 2015 Sep by Elena Fasanaro, Claudia Staffieri et al..PMID:26330924, , (2015)

[PMID:26330924](#)

et al., Blocking the bFGF/STAT3 interaction through specific signaling pathways induces apoptosis in glioblastoma cells. In J Neurooncol on 2014 Oct by Jingchao Wu, Xuequan Feng et al..PMID: 25048528, , (2014)

[PMID:25048528](#)

et al., Migration Suppression of Small Cell Lung Cancer by Polysaccharides from Nostoc commune Vaucher. In J Agric Food Chem on 2016 Aug 17 by Min Guo, Guo-Bin Ding, et al..PMID: 27465400, , (2016)

[PMID:27465400](#)

et al., Pwp1 Is Required for the Differentiation Potential of Mouse Embryonic Stem Cells Through Regulating Stat3 Signaling. In Stem Cells on 2015 Mar by Junwei Shen, Wenwen Jia, et al..PMID:25335925, , (2015)

[PMID:25335925](#)

Gino Marioni;Raoul Nucci;Filippo Marino;Rocco Cappellesso;Marta Pillon;Elisabetta Zanoletti;Luciano Giacomelli;Sebastiano Franchella;Paola Billo;Roberto Pareschi;Alessandro Martini et al., Evaluation of the Prognostic Role of pSTAT3 Expression in Temporal Bone Squamous Cell Carcinoma, , (2013)

[PMID:24005169](#)

Pei Gong;Pei Gong;Lijiao Zhao;Lijiao Zhao;Yunlong Ma;Yunlong Ma;Qiuting Shu;Qiuting Shu;Hui Sun;Hui Sun;Jing Lu;Jing Lu;Fanhua Meng;Fanhua Meng;Fang Wan;Fang Wan et al., AHR Agonist ITE Boosted PD1 Antibody β s Effects by Inhibiting Myeloid-Derived Cells Suppressive Cells in an Orthotopic Mouse Glioma Model, , (2025)

[PMID:](#)

Rui Yang;Meng-Yan Deng;Lu-Kui Yang;Guan-Zhe Wang;Jun Ma;Qiang Wen;Na Gao;Hai-Ling Qiao et al., Identification of Cytochrome P450 2E1 as a Novel Target in Neuroinflammation and Development of Its Inhibitor Q11 as a Treatment Strategy., , (2025)

[PMID:40122152](#)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.