# JNK1/JNK2/JNK3(phospho-Thr183/Tyr185) Antibody

Catalog No: #11504

Package Size: #11504-1 50ul #11504-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	
Product Name	JNK1/JNK2/JNK3(phospho-Thr183/Tyr185) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.
	Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho
	specific antibodies were removed by chromatogramphy using non-phosphopeptide.
Applications	WB;IHC;IF
Species Reactivity	Human;Mouse;Rat
Specificity	The antibody detects endogenous level of JNK1/JNK2/JNK3 only when phosphorylated at Thr183/Tyr185.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around phosphorylation site of Thr183/Tyr185 (M-M-T(p)-P-Y(p)- V - V ) derived from
	Human JNK1/JNK2/JNK3.
Conjugates	Unconjugated
Target Name	JNK1/JNK2/JNK3
Modification	Phospho
Other Names	Stress-activated protein kinase JNK1; c-Jun N-terminal kinase 1; JNK-46
Accession No.	Swiss-Prot: P45983 P45984 P53779NCBI Protein: NP_002741.1 NP_001128516.1 NP_002744.1
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%

Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

sodium azide and 50% glycerol.


# **Application Details**

Predicted MW: 46 54 kd
Western blotting: 1:500~1:1000
Immunofluorescence: 1:100~1:200


IHC 1:50-300

Storage


# **Images**




Western blot analysis of extracts from C6 cells untreated or treated with anisomycin using JNK1/JNK2/JNK3(phospho-Thr183/Tyr185) Antibody #11504.




Immunofluorescence staining of methanol-fixed Hela cells using JNK1/JNK2/JNK3(phospho-Thr183/Tyr185) Antibody #11504.



Western blot analysis of extracts from 293 cells, treated with Anisomycin or calf intestinal phosphatase (CIP), using JNK1/JNK2/JNK3 (phospho-Thr183/Tyr185) Antibody #11504.



Immunohistochemical analysis of paraffin-embedded Human-colon tissue.



Immunohistochemical analysis of paraffin-embedded Rat-kidney tissue.

# Background

Responds to activation by environmental stress and pro-inflammatory cytokines by phosphorylating a number of transcription factors, primarily components of AP-1 such as JUN, JDP2 and ATF2 and thus regulates AP-1 transcriptional activity. In T-cells, JNK1 and JNK2 are required for polarized differentiation of T-helper cells into Th1 cells By similarity. Phosphorylates heat shock factor protein 4 (HSF4). /Responds to activation by environmental stress and pro-inflammatory cytokines by phosphorylating a number of transcription factors, primarily components of AP-1 such as c-Jun and ATF2 and thus regulates AP-1 transcriptional activity. In T-cells, JNK1 and JNK2 are required for polarized differentiation of T-helper cells into Th1 cells. JNK2 isoforms display different binding patterns: a-1 and a-2 preferentially bind to c-Jun, whereas beta-1 and beta-2 bind to ATF2. However, there is no correlation between binding and phosphorylation, which is achieved at about the same efficiency by all isoforms. JUNB is not a substrate for JNK2 a-2, and JUND binds only weakly to it. /Responds to activation by environmental stress and pro-inflammatory cytokines by phosphorylating a number of transcription factors, primarily components of AP-1 such as c-Jun and ATF2 and thus regulates AP-1 transcriptional activity. Required for stress-induced neuronal apoptosis and the pathogenesis of glutamate excitotoxicity

Davis, R.J. (1999) Biochem Soc Symp 64, 1-12.

Ichijo, H. (1999) Oncogene 18, 6087-93.

Kyriakis, J.M. and Avruch, J. (2001) Physiol Rev 81, 807-69.

# **Published Papers**

el at., Astragalus polysaccharides exerts anti-infective activity by inducing human cathelicidin antimicrobial peptide LL-37 in respiratory epithelial cells.ln Phytother Res. On 2018 Aug by Zhao L, Tan S et al..PMID: 29672953, , (2018)

#### PMID:29672953

el at., Persistent Wnt/β-catenIn signalIng In mouse epithelium Induces the ectopic Dspp expression In cheek mesenchyme. In Organogenesis on 2019 by Zhou N, Li N, et al..PMID:30570432, , (2019)

### PMID:30570432

el at., Ajudecumin A from Ajuga ovalifolia var. calantha exhibits anti-inflammatory activity in lipopolysaccharide-activated RAW264.7 murine macrophages and animal models of acute inflammation. In Pharm Biol. On 2018 Dec by Zhang H, Ren QC et al.. PMID: 31070535, , (2018)

### PMID:31070535

el at., Potential role of P2X7 receptor In neurodegenerative processes In a murIne model of glaucoma. In BraIn Res Bull on 2019 May 16 by P rez de Lara MJ, Avil s-Trigueros M, et al.. PMID: 31102752, , (2019)

# PMID:31102752

el at., Aesculln protects against DSS-induced colitis though activating PPARγ and Inhibiting NF- B pathway. In Eur J Pharmacol on 2019 Aug 15 by Tian X, Peng Z,et al..PMID:31202807, , (2019)

### PMID:31202807

el at., HMGN2 regulates non-tuberculous mycobacteria survival via modulation of M1 macrophage polarization. In J Cell Mol Med on 2019 Dec by Wang X, Chen S, et al..PMID:31596045, , (2019)

# PMID:31596045

el at., The protective effects of β-sitosterol and vermicularln from Thamnolia vermicularis (Sw.) Ach. agaInst skIn agIng In vitro.In An Acad Bras Cienc on 2019 Dec 2 by Haiyuan YU, Shen X,et al..PMID:31800700, , (2019)

# PMID:31800700

el at., MK-2206 induces cell cycle arrest and apoptosis in HepG2 cells and sensitizes TRAIL-mediated cell death.In Mol Cell Biochem on 2013 Oct by Peng Jiao, Yun-Sheng Zhou,et al..PMID:23797319, , (2013)

# PMID:23797319

el at., Cardamonin Protects Septic Mice From Acute Lung Injury by Preventing Endothelial Barrier Dysfunction.In J Biochem Mol Toxicol on 2012 Jul by Zhifeng Wei, Jian Yang, et al..PMID:22696397, , (2012)

# PMID:22696397

el at., Effects of IL-1 receptor-associated kinase-4 gene silencing on human osteoblast-like cells. In Connect Tissue Res on 2012 by Zibo Yang, Baoding Huang, et al..PMID: 22606974, , (2012)

### PMID:22606974

el at., Ellagic Acid Inhibits RANKL-induced Osteoclast Differentiation by Suppressing the p38 MAP Kinase Pathway.In Arch Pharm Res on 2017 Jan by Mpho Rantlha, Travers Sagar, et al.. PMID: 27384064, , (2017)

#### PMID:27384064

el at., Induction of Mkp-1 and Nuclear Translocation of Nrf2 by Limonoids From Khaya grandifoliola C.DC Protect L-02 Hepatocytes Against Acetaminophen-Induced Hepatotoxicity.In Front Pharmacol on 2017 Sep 19 by Arnaud F Kouam, Fei Yuan, et al..PMID: 28974930, , (2017)

#### PMID:28974930

el at., Inhibitory effects of eugenol on RANKL-induced osteoclast formation via attenuation of NF-I-• B and MAPK pathways.In Connect Tissue Res on 2015 Jun by Vishwa Deepak, Abe Kasonga et al..PMID:25405641, , (2015)

# PMID:25405641

el at., Piperine alleviates osteoclast formation through the p38/cι ζ os/NFATc1 signaling axis.ln Biofactors on Nov-Dec 2015 by Vishwa Deepak ,
Marlena C Kruger et al..PMID: 26627060, , (2015)

#### PMID:26627060

el at., The Effects of Xiangqing Anodyne Spray on treating acute soft-Tissue injury mainly depend on suppressing activations of AKT and p38 pathways.In Evid Based Complement Alternat Med on 2016 by Shudong Wang, Tao Li et al..PMID:27190541, , (2016)

### PMID:27190541

el at., An alternatively spliced variant of CXCR3 mediates the metastasis of CD133+ liver cancer cells induced by CXCL9.In Oncotarget on 2016 Mar 22 by Qiang Ding, Yujia Xia et al..PMID:26883105, , (2016)

#### PMID:26883105

el at., Cannabinoid receptor agonist WIN55,212-2 and fatty acid amide hydrolase inhibitor URB597 suppress chronic cerebral hypoperfusion-induced neuronal apoptosis by inhibiting c-Jun N-terminal kinase signaling.In Neuroscience 2015 Aug 20 by S-H Su , Y-F Wu et al..PMID:25795598, , (2015)

el at., Byakangelicin protects against carbon tetrachloride-induced liver injury and fibrosis in mice. In J Cell Mol Med on 2020 Aug by Xiaohe Li, Shuaibo Shao, et al..PMID: 32643868, , (2020)

## PMID:32643868

el at., Endoplasmic reticulum stress is involved in retinal injury induced by repeated transient spikes of intraocular pressure. In J Zhejiang Univ Sci B on 2021 Sept 15 by Xue Yang, Xiaowei Yu et al..PMID: 34514754, , (2021)

# PMID:34514754

el at., Endoplasmic reticulum stress is involved in retinal injury induced by repeated transient spikes of intraocular pressure. In J Zhejiang Univ Sci B on 2021 Sept 15 by Xue Yang, Xiaowei Yu et al..PMID: 34514754, , (2021)

# PMID:34514754

el at., CD155 Cooperates with PD-1/PD-L1 to Promote Proliferation of Esophageal Squamous Cancer Cells via Pl3K/Akt and MAPK Signaling Pathways. In Cancers (Basel) on 2022 Nov 15 by Xiyang Tan, Jie Yang, et al..PMID:36428703, , (2022)

# PMID:36428703

el at., Brevilin A Ameliorates Acute Lung Injury and Inflammation Through Inhibition of NF-κB Signaling via Targeting IKKα/β. In Front Pharmacol on 2022 Jun 14 by Lu Liu, Xian Chen,et al..PMID:35774606, , (2022)

# PMID:35774606

el at., Alleviative effects of  $\alpha$ -lipoic acid on muscle atrophy via the modulation of TNF- $\alpha$ /JNK and PI3K/AKT pathways in high-fat diet and streptozotocin-induced type 2 diabetic ratsInFood Sci NutrOn2023 Jan 12byChih-Yuan Ko 1 2 3, Chi-Hao Wu et al..PMID: 37051351, , (2023)

# PMID:37051351

el at., Novel oxicam nonsteroidal compound XK01 attenuates inflammation by suppressing the NF-кB and MAPK pathway in RAW264.7

macrophages. In Heliyon on 2024 Jan 9 by Jixiang Wang, Jiawang Tan, et al.. PMID:38312593, , (2024)

### PMID:38312593

el at., Delayed treatment with hydro-ethanolic extract of Khaya grandifoliola protects mice from acetaminophen-hepatotoxicity through inhibition of c-Jun N-terminal kinase phosphorylation and mitochondrial dysfunction, (2024)

# PMID:

el at., Differential apoptosis gene expressions of rhabdomyosarcoma cells in response to enterovirus 71 infection.In BMC Infect Dis on 2012 Nov 28 by Shi W, Li X,et al..PMID:23191987, , (2012)

PMID:23191987

Note: This product is for in vitro research use only and is not intended for use in humans or animals.