

## GSK3b Antibody

Catalog No: #21002



Package Size: #21002-1 50ul #21002-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

## Description

|                       |                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name          | GSK3b Antibody                                                                                                                                                                |
| Host Species          | Rabbit                                                                                                                                                                        |
| Clonality             | Polyclonal                                                                                                                                                                    |
| Purification          | Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide. |
| Applications          | WB IHC IF                                                                                                                                                                     |
| Species Reactivity    | Human;Mouse;Rat                                                                                                                                                               |
| Specificity           | The antibody detects endogenous level of total GSK3b protein, this antibody may cross-react with the GSK-3a due to high sequence homology.                                    |
| Immunogen Type        | Peptide-KLH                                                                                                                                                                   |
| Immunogen Description | Peptide sequence around aa.7~11 (T-T-S-F-A) derived from Human GSK3b.                                                                                                         |
| Conjugates            | Unconjugated                                                                                                                                                                  |
| Target Name           | GSK3b                                                                                                                                                                         |
| Other Names           | Factor A, GSK-3 beta, Protein kinase GSK-3-beta, kinase GSK-3 beta,                                                                                                           |
| Accession No.         | Swiss-Prot: P49841 NCBI Protein: NP_001139628.1                                                                                                                               |
| Concentration         | 1.0mg/ml                                                                                                                                                                      |
| Formulation           | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.                  |
| Storage               | Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.                                                                                     |

## Application Details


Predicted MW: 46kd

Western blotting: 1:500~1:1000


Immunohistochemistry: 1:50~1:100

Immunofluorescence: 1:100~1:200


## Images



Western blot analysis of extracts from A2780 and HT29 cells using GSK3b(Ab-9) Antibody #21002.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using GSK3b(Ab-9) Antibody #21002(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed HeLa cells showing cytoplasmic and nuclear staining using GSK3b(Ab-9) Antibody #21002.

## Background

Participates in the Wnt signaling pathway. Implicated in the hormonal control of several regulatory proteins including glycogen synthase, MYB and the transcription factor JUN. Phosphorylates JUN at sites proximal to its DNA-binding domain, thereby reducing its affinity for DNA. Phosphorylates MUC1 in breast cancer cells, and decreases the interaction of MUC1 with CTNNB1/beta-catenin. Phosphorylates CTNNB1/beta-catenin.

Fan G, et al. (2003) J Biol Chem. 278(52): 52432-52436.

Barry FA, et al. (2003) FEBS Lett. 553(1-2): 173-178.

Welsh, et al. (1996) Trends Cell Biol. 6: 274-279.

Srivastava A K, et al. (1998) Mol Cell Biochem. 182: 135-141.

Cross D. A, et al. (1995) Nature. 378: 785-789.

## Published Papers

Ramiro E. Toribio, Holly A. Brown, Chad M. Novince et al., The midregion, nuclear localization sequence, and C terminus of PTHrP regulate skeletal development, hematopoiesis, and survival in mice., The FASEB Journal., 24(6):1947-1957(2010)

[PMID:20145205](#)

et al., The natural agent rhein induces  $\beta$  catenin degradation and tumour growth arrest. In J Cell Mol Med. On 2018 Jan by Liu S, Wang J et al..PMID:29024409, , (2018)

[PMID:29024409](#)

et al., Catalpol promotes the osteogenic differentiation of bone marrow mesenchymal stem cells via the Wnt/ $\beta$ -catenin pathway. In Stem Cell Res Ther on 2019 Jan 22 by Zhu Y, Wang Y, et al.. PMID: 30670092, , (2019)

[PMID:30670092](#)

et al., Glnkolide B promotes osteoblast differentiation via activation of canonical Wnt signalling and alleviates osteoporosis through a bone anabolic way. In J Cell Mol Med on 2019 Aug by Zhu B, Xue F, et al..PMID:31225702, , (2019)

[PMID:31225702](#)

et al., Melatonin ameliorates A $\beta$ 1 42 induced Alzheimer's cognitive deficits in mouse model. In J Pharm Pharmacol. On 2018 Jan by Gong YH, Hua N et al..PMID: 28994117, , (2018)

PMID:  
[28994117](#)

el at., Protective effects of lithium treatment for spatial memory deficits induced by tau hyperphosphorylation in splenectomized rats. In Clin Exp Pharmacol Physiol on 2010 Oct by Tan WF, Cao XZ,et al..PMID:20659131, , (2010)

[PMID:20659131](#)

el at., Phosphoproteome analysis reveals an important role for glycogen synthase kinase-3 in perfluorododecanoic acid-induced rat liver toxicity. In Toxicol Lett on 2013 Mar 27 by Hongxia Zhang, Junjie Hou, et al..PMID: 23353032, , (2013)

[PMID:23353032](#)

el at., Concerted suppression of STAT3 and GSK3 $\epsilon$ Y is involved in growth inhibition of non-small cell lung cancer by xanthatin. In PLoS One on 2013 Nov 28 by Li Tao, Fangtian Fan, et al..PMID: 24312384  
, , (2013)

[PMID:24312384](#)

el at., Signal regulatory protein  $\delta$ O negatively regulates masti  $\zeta$ \* ell activation following Fc $\theta$  RI aggregation. In Eur J Immunol on 2013 Jun by Yu-fei Pan, Li-wei Dong, et al..PMID: 23504624, , (2013)

[PMID:23504624](#)

el at., Risperidone ameliorated A $\epsilon$ Y1-42-induced cognitive and hippocampal synaptic impairments in mice. In Behav Brain Res on 2017 Mar 30 by Lingzhi Wu , Xiaowen Feng,et al..PMID: 28093254, , (2017)

[PMID:28093254](#)

el at., Glutathione-s-transferase A 4 (GSTA4) Suppresses Tumor Growth and Metastasis of Human Hepatocellular Carcinoma by Targeting AKT Pathway. In Am J Transl Res on 2017 Feb 15 by Chang Jun Liu, Jin Hui Yang,et al..PMID: 28337261, , (2017)

[PMID:28337261](#)

el at., IGF-1-mediated PKM2/ $\epsilon$ Y-catenin/miR-152 Regulatory Circuit in Breast Cancer. In Sci Rep on 2017 Nov 21 by Yi-Yang Wen, Wei-Tao Liu,et al..PMID: 29162853, , (2017)

[PMID:29162853](#)

el at., Overexpression of astrocyte-elevated gene-1 is associated with ovarian cancer development and progression. In Mol Med Rep on 2015 Apr by Bo Zhou , Jue Yang et al..PMID:25483832, , (2015)

[PMID:25483832](#)

el at., Fumosorinone, a Novel PTP1B Inhibitor, Activates Insulin Signaling in Insulin-Resistance HepG2 Cells and Shows Anti-Diabetic Effect in Diabetic KKAY Mice .In Toxicol Appl Pharmacol On 2015 May 15 by Zhi-Qin Liu , Ting Liu et al..PMID: 25796170

, , (2015)

[PMID:25796170](#)

el at., Lithium chloride decreases proliferation and migration of C6 glioma cells harboring isocitrate dehydrogenase 2 mutant via GSK-3 $\epsilon$ Y. In Mol Biol Rep on 2014 Jun by Yuejun Fu , Yali Zheng et al..PMID:24549719, , (2014)

[PMID:24549719](#)

el at., GSK3 protein positively regulates type I insulin-like growth factor receptor through forkhead transcription factors FOXO1/3/4. In J Biol Chem on 2014 Sep 5 by Xiaodong Huo , Shu Liu et al..PMID:25053419, , (2014)

[PMID:25053419](#)

el at., A  $\epsilon$ Y1/2 Adrenergic Receptori  $\zeta$   $\pm$ ensitive Intracellular Signaling Pathway Modulates CCL2 Production in Cultured Spinal Astrocytes. In J Cell Physiol on 2014 Mar by Norimitsu Morioka , Hiromi Abe et al..PMID:24037783, , (2014)

[PMID:24037783](#)

el at., Erythropoietin attenuates Alzheimer-like memory impairments and pathological changes induced by amyloid  $\epsilon$ Y42 in mice. In Brain Res on 2015 Aug 27 by Yi-Pei Li, Guo-Jun Yang et al..PMID:26049128, , (2015)

[PMID:26049128](#)

el at., SNAILs promote G1 phase in selected cancer cells.In Int J Oncol on 2015 Nov by Ya-Lan Wu , Jian-Xin Xue et al ..PMID:26352801, , (2015)  
[PMID:26352801](#)

el at., Perfluorooctanoic Acid Exposure for 28 Days Affects Glucose Homeostasis and Induces Insulin Hypersensitivity in Mice .In Sci Rep on 2015 Jun 12 by Shengmin Yan, Hongxia Zhang et al..PMID: 26066376 , , (2015)  
[PMID:26066376](#)

el at., Analysis of ε~Y-N-methylamino-L-alanine (L-BMAA) neurotoxicity in rat cerebellum.In Neurotoxicology on 2015 May by Emma Muε'E'oz-Sθ°@ez , Estefani a de Munck Garcı a et al..PMID:25898785, , (2015)  
[PMID:25898785](#)

el at., Perfluorooctanoic Acid Exposure for 28 Days Affects Glucose Homeostasis and Induces Insulin Hypersensitivity in Mice. In Sci Rep on 2015 Jun 12 by Shengmin Yan, Hongxia Zhang,et al..PMID:26066376, , (2015)  
[PMID:26066376](#)

el at., Gut microbiota relieves inflammation in the substantia nigra of chronic Parkinson's disease by protecting the function of dopamine neurons. In Exp Ther Med on 2022 Jan by Tian Zhang, Tan Wang,et al..PMID:34934429, , (2022)  
[PMID:34934429](#)

el at., The Therapeutic Effects of Seven Lycopodium Compounds on Cell Models of Alzheimerβ s Disease. In J Alzheimers Dis on 2022 by Qian Guo, Qinfeng Cai ,et al..PMID:36189599, , (2022)  
[PMID:36189599](#)

Guo Qian;Huang Fang;Li Hong-Lian;Liu Rong;Wang Jian-Zhi;Wang Xiaochuan;Wei Zhen;Wu Gang;Yang Yang;Zhang Bin el at., Novel small molecular compound 2JY-OBZ4 alleviates AD patriuiugy in cell mouels via regulating multiple targets, , (2022)  
[PMID:36227154](#)

Yan Yu;Chengchun Zhu;Xiao Wang;Ying Shi;Yiping Gao;Zhiyi Yu el at., hERG activators exhibit antitumor effects in breast cancer through calcineurin and β-catenin-mediated signaling pathways., , (2025)  
[PMID:39917621](#)

---

Note: This product is for in vitro research use only and is not intended for use in humans or animals.