

HDAC2 Antibody

Catalog No: #21140



Package Size: #21140-1 50ul #21140-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	HDAC2 Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.
Applications	WB IHC IF
Species Reactivity	Human;Mouse;Rat
Specificity	The antibody detects endogenous level of total HDAC2 protein.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around aa. 392~396 (E-D-S-G-D) derived from Human HDAC2.
Conjugates	Unconjugated
Target Name	HDAC2
Other Names	HD2; Histone deacetylase 2;
Accession No.	Swiss-Prot: Q92769NCBI Protein: NP_001518.2
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

Application Details


Predicted MW: 60kd

Western blotting: 1:500~1:1000


Immunohistochemistry: 1:50~1:100

Immunofluorescence: 1:100~1:200


Images




Western blot analysis of extracts from 293 and HeLa cells using HDAC2(Ab-394) Antibody #21140.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using HDAC2(Ab-394) Antibody #21140(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed HeLa cells using HDAC2(Ab-394) Antibody #21140.



Western Blot analysis of HeLa /293 cells using HDAC2 Polyclonal Antibody

Background

Responsible for the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4). Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Histone deacetylases act via the formation of large multiprotein complexes

Tsai SC, et al.(2002)J Biol Chem; 277(35): 31826-33

Published Papers

el at., Growth Attenuation Is Associated With Histone Deacetylase 10-induced Autophagy in the Liver .In J Nutr Biochem on 2016 Jan by Galit Pinto, Biana Shtaif et al..PMID:26462881 , , (2016)

[PMID:26462881](#)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.