

Histone H3 Antibody

Catalog No: #21689



Package Size: #21689-1 50ul #21689-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

Product Name	Histone H3 Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.
Applications	WB;IHC;IF;IP;ELISA
Species Reactivity	Human;Mouse;Rat
Specificity	The antibody detects endogenous level of total Histone H3 protein.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around aa.26-30(A-R-K-S-A) derived from Human Histone H3.
Conjugates	Unconjugated
Target Name	Histone H3
Other Names	H3/A; H3FA
Accession No.	Swiss-Prot: P68431NCBI Gene ID: 8350NCBI mRNA: NM_003529.2 NCBI Protein: NP_003520.1
Calculated MW	17kDa
SDS-PAGE MW	17kDa
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C

Application Details

WB 1:1000-1:5000; IHC 1:50-1:200; IF 1:50-1:200; ELISA 1:5000-1:20000; IP 1:50-1:200;

Images



Western blot analysis of extracts from HT29 and C6 cells using Histone H3 (Ab-27) Antibody #21689.

Background

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. Choi H.S., Choi B.Y., Cho Y.-Y., Zhu F., Bode A.M., Dong Z.J. Biol. Chem. 280:13545-13553(2005)
Tan M., Luo H., Lee S., Jin F., Yang J.S., Montellier E., Buchou T., Cheng Z., Rousseaux S., Rajagopal N., Lu Z., Ye Z., Zhu Q., Wysocka J., Ye Y., Khochbin S., Ren B., Zhao Y.
Cell 146:1016-1028(2011)

Published Papers

Lian-Qing Sun, Bing Xue, Xiao-Jin Li et al., Inhibitory effects of Salvianolic acid B on apoptosis of Schwann cells and its mechanism induced by intermittent high glucose, Life Sciences, 90 (2012) 99— C108(2012)

[PMID:22036624](#)

Lian-Qing Sun, Jue Zha, Ting— CTing Zhang et al., Protective Effects of Salvianolic Acid B on Schwann Cells Apoptosis Induced by High Glucose., Neurochem Res, 37:996— C1010(2012)

[PMID:22252725](#)

et al., Arsenic trioxide Inhibits the differentiation of fibroblasts to myofibroblasts through nuclear factor erythroid 2-like 2 (NFE2L2) protein and the Smad2/3 pathway. In J Cell Physiol on 2019 Mar by Zhong L, Hao H, et al..PMID:30317545, , (2019)

[PMID:30317545](#)

et al., The antioxidant peptide SS31 prevents oxidative stress, downregulates CD36 and improves renal function in diabetic nephropathy.In Nephrol Dial Transplant. On 2018 Nov by Hou Y, Shi Y et al..PMID: 30388276, , (2018)

[PMID:30388276](#)

et al., Human umbilical cord mesenchymal stem cell exosomes enhance angiogenesis through the Wnt4/ε-Yī ζ• atenin pathwayı δY·n Stem Cells Transl Med on 2015 May by Bin Zhang , Xiaodan Wu et al..PMID:25824139 , , (2015)

[PMID:25824139](#)

et al., Human umbilical cord mesenchymal stem cell exosomes enhance angiogenesis through the Wnt4/β-catenin pathway. In Stem Cells Transl Med on 2015 May by Bin Zhang, Xiaodan Wu, et al..PMID: 25824139, , (2015)

[PMID:25824139](#)

DM THOMPSON;DD BROWN;DT KIRKENDALL et al., EFFECTS OF GLUCOSE POLYMER INGESTION ON HIGH-INTENSITY INTERMITTENT CYCLING, , (2012)

[PMID:](#)

Note: This product is for in vitro research use only and is not intended for use in humans or animals.