# COX4I1 antibody

Catalog No: #39011

Package Size: #39011-1 50ul #39011-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


## Description

Product Name	COX4I1 antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	WB,IF
Species Reactivity	Human;Mouse;Rat
Specificity	The antibody detects endogenous level of total COX4I1 protein.
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant fusion protein of human COX IV (NP_001852.1).
Conjugates	Unconjugated
Target Name	COX4I1
Other Names	COX4I1;COX IV-1;COX4;COX4-1;COXIV;COXIV-1;COX IV
Accession No.	Uniprot:P13073GeneID:1327
SDS-PAGE MW	17kDa
Concentration	1.0mg/ml
Formulation	PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Storage	Store at -20°C. Avoid freeze / thaw cycles.


## **Application Details**

WB□1:500 - 1:2000IF□1:50 - 1:200

### **Images**



Western blot analysis of extracts of various cell lines, using COX IV Antibody.



Immunofluorescence analysis of U2OS cells using COX IV antibody.

### Background

Cytochrome c oxidase (COX) is the terminal enzyme of the mitochondrial respiratory chain. It is a multi-subunit enzyme complex that couples the transfer of electrons from cytochrome c to molecular oxygen and contributes to a proton electrochemical gradient across the inner mitochondrial membrane. The complex consists of 13 mitochondrial- and nuclear-encoded subunits. The mitochondrially-encoded subunits perform the electron transfer and proton pumping activities. The functions of the nuclear-encoded subunits are unknown but they may play a role in the regulation and assembly of the complex. This gene encodes the nuclear-encoded subunit IV isoform 1 of the human mitochondrial respiratory chain enzyme. It is located at the 3' of the NOC4 (neighbor of COX4) gene in a head-to-head orientation, and shares a promoter with it. Pseudogenes related to this gene are located on chromosomes 13 and 14. Alternative splicing results in multiple transcript variants encoding different isoforms.

#### **Published Papers**

Ziyan Huang;Ziyan Huang;Ziyan Huang;Ziyan Huang;Xinzhao Jiang;Xinzhao Jiang;Xinzhao Jiang;Xinzhao Jiang;Lichen Zhang;Lichen Zhang;Lichen Zhang;Lichen Zhang;Lichen Zhang;Lichen Zhang;Wei Wang;Wei Wang;Wei Wang;Ziang Li;Ziang Li;Ziang Li;Ziang Li;Yiyang Huang;Yiyang Huang;Yiyang Huang;Yiyang Huang;Yiyang Huang;Yiyang Huang;Yiyang Xu;Yichang Xu;Yichang Xu;Yichang Xu;Liang Zhou;Liang Zhou;Liang Zhou;Liang Zhou;Jie Wu;Jie Wu;Jie Wu;Jie Wu;Jincheng Tang;Jincheng Tang;Jincheng Tang;Kun Xi;Kun Xi;Kun Xi;Kun Xi;Yu Feng;Yu Feng;Yu Feng;Liang Chen;Liang C

Note: This product is for in vitro research use only and is not intended for use in humans or animals.