STING / TMEM173 Rabbit Polyclonal Antibody

Catalog No: #54752

Package Size: #54752-1 50ul #54752-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


Description

| Product Name | STING / TMEM173 Rabbit Polyclonal Antibody |
|-----------------------|--|
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Isotype | IgG |
| Purification | Affinity purification |
| Applications | WB,IF |
| Species Reactivity | Human;Mouse;Rat |
| Immunogen Description | Recombinant fusion protein of human STING / TMEM173 (NP_938023.1). |
| Conjugates | Unconjugated |
| Other Names | TMEM173;ERIS;MITA;MPYS;NET23;SAVI;STING;hMITA;hSTING |
| Accession No. | Swiss Prot:Q86WV6Gene ID:340061 |
| Calculated MW | 42kDa |
| SDS-PAGE MW | 37kDa/38kDa |
| Formulation | Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| Storage | Store at -20°C. Avoid freeze / thaw cycles. |


Application Details

WB□1:500 - 1:2000IF□1:50 - 1:200


Images



Western blot analysis of extracts of various cell lines, using STING $\TMEM173$ antibody.



Western blot analysis of extracts of various cell lines, using STING \ TMEM173 antibody.



Immunofluorescence analysis of L929 cells using STING $\mbox{\sc TMEM173}$ antibody.

Background

This gene encodes a five transmembrane protein that functions as a major regulator of the innate immune response to viral and bacterial infections.

The encoded protein is a pattern recognition receptor that detects cytosolic nucleic acids and transmits signals that activate type I interferon responses. The encoded protein has also been shown to play a role in apoptotic signaling by associating with type II major histocompatibility complex. Mutations in this gene are the cause of infantile-onset STING-associated vasculopathy. Alternate splicing results in multiple transcript variants.

Published Papers

Bishu Wang;Xingguo Tang;Chuntao Xiao;Zhijie Yu;Huaben Bo;Jie Wang;Jinquan Wang el at., Nucleus-targeted ruthenium(II) complex triggers immunogenic cell death and sensitizes melanoma to anti-PD-1 therapy by activating cGAS-STING pathway., , (2025)

PMID:40022761

Note: This product is for in vitro research use only and is not intended for use in humans or animals.